


WI701 Specification

7-inch Multifunctional Villa Intercom Indoor Unit

- Supports two-way video calls with door stations or video doorbells, and remote door opening.
- Features a high-definition display for monitoring the status of the door station.
- Full-duplex high-definition audio and video communication via Smart Life app;
- Support Household Access, Easy communication between rooms on different floors.



Technical Specifications

Screen

Parameter	Specification
Screen Size	7.0-inch IPS LCD Display
Resolution	1024x600 pixels
Touchscreen	High-Sensitivity Capacitive Touchscreen

Configuration

Parameter	Specification
CPU	XBurst® 2, 1.2 GHz dual-core processor
OS	Linux5.10
Memory	Built-in 64MB DDR2

Parameter	Specification
Network Module	RJ45 standard interface, 100 Mbps Ethernet interface
Operating Memory	16MB NOR Flash

System Functions

Parameter	Specification
Video Call	Two-Way Video Capability
Information	Supports Voice, Image, SMS, and Other Information
Elevator Call	Supported
Security Alarm	Supported
Household intercom	Supports (8-Channel Wired Defense Zones)
Call Management Center	Supported

Conventional Parameters

Parameter	Specification
Power Supply	12V 2A
Operating Temperature Range	-10°C-60°C
Storage Temperature	-20°C-70°C
Power Consumption	20W (MAX)
Installation Method	Wall-mounted installation
Device Dimensions	220*122*21mm

Dimension units: mm

